

# 晶鑽專案

## Package B

### 149435



類別 Type	項目 Item	內容及特點 Detail	
磁振造影 MRI Magnetic Resonance Imaging	頭頸部磁振造影 Head & Neck MRI	包含大腦、小腦、腦幹、眼球、鼻腔、鼻竇、中耳、內耳等部位，針對腦部疾病篩檢如顱內腫瘤、中風、腦萎縮、腦室積水等腦部症狀。Including cerebrum, cerebellum, brain stem, orbit, nasopharynx, ears, thyroid, trachea and lymph node..	
	腫瘤磁振造影 Magnetic Resonance Imaging	上腹部磁振造影 Upper Abdomen MRI	篩檢肝臟、膽囊、脾臟、胰臟、腎臟等器官是否有囊腫、腫瘤、息肉、肝硬化、肝纖維化、脂肪肝、肝腫瘤等病變。Including upper abdominal organs, such as liver, gallbladder, bile duct, spleen, pancreas, and kidneys.
		骨盆腔磁振造影 Pelvis MRI	篩檢後腹腔、膀胱、男性攝護腺病變及腫瘤、女性子宮肌瘤、巧克力囊腫、子宮內膜增生、卵巢囊腫、卵巢癌等生殖器官病變。Including retroperitoneum, pelvic organs, including prostate, urinary bladder for males; uterus, cervix and ovaries for females.
		全脊椎磁振造影 Whole spine MRI	篩檢頸椎、胸椎及腰椎是否有椎間盤突出、骨病變、骨刺、坐骨神經壓迫症及脊椎移轉性腫瘤。Including cervical, thoracic, lumbosacral spine.
	腦血管磁振造影檢查 (施打對比劑) Cerebrovascular MR Angiography	顱內、頸動脈血管 3D 立體影像及頸動脈超音波檢查，完整呈現兩側內頸動脈與顱內血管是否有狹窄、動脈瘤及動靜脈畸形，可早期發現因腦血管疾病引起的微小梗塞、腦萎縮以及腦瘤和其他腦實質病變等。建議 40 歲以上成年人定期檢查。Including intra-cranial carotid and vertebral arteries for early detection for stroke, intracranial aneurysm and vascular anomalies.	
	乳房磁振造影 (施打對比劑) Breast MRI (女)(For Female)	乳房磁振造影無輻射，不須強力擠壓乳房，減少疼痛及恐懼感，可輕鬆完成乳癌篩檢，是篩檢早期乳癌最佳工具。Dynamic breast MRI and 2D ultrasound, for early detection of breast cancer.	
	肝脂肪定量分析磁振造影 Fat Quantitation of Liver MRI(男)(For Male)	針對中年以上好發之脂肪肝、脂肪性肝炎等評估肝組織脂肪比例，並作為生活型態調整之指引。An index for evaluation of fatty liver and non-alcoholic steatotic hepatitis (NASH).	
極速低劑量 電腦斷層 CT Screening	低劑量肺部電腦斷層 Low-dose Lung CT	不需施打顯影劑，可偵查隱藏在胸椎、心臟前後、肋骨、橫膈膜下方及肝臟前後方的肺部小腫瘤，為偵測早期肺癌最快且精確的最佳工具。High-speed, low-dose CT for early detection of lung cancer.	
	冠狀動脈鈣化指數 Coronary Artery Calcium Score, CAC	被視為是一個反應冠狀動脈粥狀硬化程度的指標，可做為發生冠狀動脈血管疾病風險預測及預後評估，並據此調整後續生活型態，或進一步檢查及治療。An index for evaluation of atherosclerosis of coronary arteries.	

類別 Type	項目 Item	內容及特點 Detail
無痛腸胃內視鏡 Upper GI Endoscopy and Colonoscopy under Sedation 耗材及息肉切除等費用另計 Additional charges apply for consumables and polyp removal.	無痛胃鏡檢查 Panendoscopy under Sedation	胃、大腸內視鏡檢查是診斷胃潰瘍、胃癌、大腸內腫瘤、息肉等病灶最好之工具。運用內視鏡窄頻早期癌辨識系統，早期辨識粘膜表層最早期癌病變，精確檢查食道、胃、十二指腸之腫瘤、潰瘍、發炎、息肉、糜爛狀況及腸道痔瘡、息肉、腫瘤、潰瘍、發炎、憩室狀況。 For early detection of some gastric and colon disease under
	胃幽門螺旋桿菌檢查 (HP test)	
	無痛大腸鏡 Colonoscopy under Sedation	提供美味低渣代餐，兼顧營養、美味及低渣標準。Low Residue food
	大腸鏡低渣代餐 Low Residue food	
彩色杜普勒高解析度超音波檢查 High Resolution Doppler Ultrasonography	頸動脈超音波 Carotid Artery Ultrasound	檢查頸動脈有無粥狀硬化斑塊、頸動脈狹窄，以了解中風及腦血管疾病風險。Can detect blocked or narrowed carotid arteries, which can indicate an increased risk of stroke.
	甲狀腺超音波 Thyroid Ultrasound	評估甲狀腺是否腫大、發炎及腫瘤。Assess the thyroid gland for enlargement, nodule, inflammation, and tumors.
	上腹部超音波 Upper Abdomen Ultrasound	肝、膽、腎臟、胰臟、脾臟等腹部器官疾病的檢查 ( 囊腫、膽結石、膽瘻肉、腎結石、血管瘤等 )Examination of liver, gallbladder, kidney, pancreas, spleen and other abdominal tracheal diseases (cysts, gallstones, gallstones, kidney stones, hemangioma, etc.)
	肝纖維化量化分析檢測 Liver fibrosis scan	非侵入性的測量肝臟硬度，準確率高達 9 成，將肝臟纖維化的程度以數值量化出來。過程簡便，無風險，無副作用。A non-invasive method to measure liver stiffness with up to 90% accuracy, quantifying the degree of liver fibrosis with numerical values. The procedure is simple, risk-free, and has no side effects.
	脂肪肝檢測 Fatty Liver Test	評估肝臟脂肪含量並將脂肪肝程度定量分級。Assess liver fat content and quantitatively grade the degree of fatty liver
	骨盆腔超音波 Pelvic Ultrasound	可了解是否有膀胱結石，男性是否有攝護腺肥大，女性是否有子宮肌瘤、卵巢腫瘤。Ultrasound imaging of the pelvis uses sound waves to produce pictures of the structures and organs in the lower abdomen and pelvis. These exams are frequently used to evaluate the reproductive and urinary systems.
	乳房超音波 Breast Ultrasound (女)(For Female)	檢查女性乳房有無腫塊、纖維囊腫、乳管擴張等異常
眼科檢查 Ophthalmology Examination	視力 Visual acuity	評估是否有近視、青光眼、色盲。 Evaluate ophthalmic function.
	眼壓 Intraocular pressure (IOP)	
	辨色力 Color vision	
	細隙燈檢查 SLIT lamp examination	
聽力檢查 Hearing Examination	氣導聽力檢測 Air conduction hearing test	全音訊 500、1000、2000、4000、8000HZ 聽力試驗 ( 氣導 )。Evaluate hearing function.
肺功能檢查 Pulmonary function	肺活量、最大吐氣量 Forced vital capacity (FVC) and Forced expiratory volume (FEV1)	肺部功能評估，了解肺活量、有無阻塞性、侷限性肺疾病。 Evaluate pulmonary function.
心電圖檢查 Resting EKG	靜態十二導程心電圖 Resting EKG	心跳節律 ( 心律不整脈 )、心肌缺氧 ( 心肌梗塞 )、心臟電位傳導 ( 房室支束傳導阻斷 )。Risk of arrhythmia, myocardial ischemia and conduction abnormality.

類別 Type	項目 Item	內容及特點 Detail
耳鼻喉科檢查 ENT Examination	耳、鼻、喉部檢查 Ear, nose and throat examination	耳鼻喉科專科醫師針對耳鼻喉之炎症反應、腫瘤、鼻中膈彎曲、鼻息肉進行檢查。Ear, nose and throat examination.
	鼻咽內視鏡檢查 Rhino-laryngoscopy	以鼻咽內視鏡及窄頻早期癌辨識系統檢查鼻甲、鼻道、鼻中膈以及鼻咽處，對於早發性癌症可更準確鑑別。To detect lesions in nose and throat under narrow band imaging.
子宮頸癌篩檢 Gynecopathy Screening	新柏氏超薄子宮頸抹片 ThinPrep Pap Test	透過特殊保存方式保留完整子宮頸細胞，可提升一般抹片檢查準確度。Early detection of cervical cancer.
	人類乳突病毒篩檢 HPV DNA	是否感染人類乳突病毒與病毒基因型態檢查。研究顯示子宮頸癌前病變與高危險性 HPV 基因有關。 To detect the risk of cervical cancer by HPV infection screening.
抗老化檢測 Anti-aging Test	周邊血管動脈硬化檢查 Ankle-brachial index (ABI)	定量分析全身血管的僵硬度和彈性，並透過周邊血管動脈檢查反應下肢動脈阻塞或狹窄程度。為防止血管硬化功能之指標，反應心血管疾病發生之風險程度。Risk of Cardiovascular disease.
	自律神經檢查 (Autonomic nervous system)、心律變異分析 (HRV)	運用自律神經儀偵測交感神經和副交感神經的活性，評估自律神經平衡度。運用心律變異分析儀，透過記錄心跳與心跳間隔的些微差異來分析自律神經系統的平衡狀態。HRV (Heart rate variability), for evaluation of autonomic nervous system.
	骨質密度分析 Bone Mass Density (BMD)	X 光骨質密度分析儀，測量腰椎及兩側髖關節，精準且快速的偵測骨質密度，輻射量極低，安全性高。To check Bone Mineral Density.
	全身體脂肪分析 Body Composition Analysis	透過全身體脂肪含量分析，了解內臟脂肪比例，為生活型態調整。To check body composition analysis.
尿液檢查 Urine Routine	尿液生化分析：酸鹼度 (PH)、比重 (Specific gravity)、尿糖 (Glucose)、尿蛋白 (Protein)、尿潛血 (Occult blood, OB)、尿膽紅素 (Urobilinogen)、尿中白血球 (Leukocyte esterase)、尿酮體 (Ketone Body)、尿沉渣顯微鏡檢 (Micro exam.)	腎功能、泌尿道感染、泌尿道結石、糖尿病等。 To screen for, help diagnose and/or monitor several diseases and conditions, such as kidney disorders or urinary tract infections (UTIs)
血液常規 (CBC/DC)	白血球計數 (WBC)、紅血球計數 (RBC)、血色素檢查 (Hgb)、血球比容值 (HCT)、平均紅血球容積 (MCV)、平均紅血球血紅素 (MCH)、平均紅血球血色素濃度 (MCHC)、血小板計數 (PLT)、白血球分類計數 (DC)	檢測貧血、發炎、白血病、血液凝固功能等。 Complete blood counts can be used to help detect a variety of disorders including infections, anemia, diseases of the immune system, and blood cancers.
維生素 D	維生素 D (Vit D)	透過血液檢測維生素 D 是否足夠。維他命 D 缺乏與生長遲緩、骨骼畸形、軟骨病、骨質疏鬆及骨折有關。 Check for vitamin D deficiency.
糖尿病檢查 Blood Glucose	空腹血糖 (Glucose AC)	糖尿病、低血糖症的早期診斷。Too much or too little glucose in the blood can be a sign of a serious medical condition.
	糖化血色素 (HbA1C)	評估前三個月血糖平均值。An HbA1c test shows what the average amount of glucose attached to hemoglobin has been over the past three months.
	空腹胰島素 (Insulin)	評估胰臟分泌功能、身體利用胰島素的能力及是否發生胰島素阻抗性。檢測胰島素阻抗值，評估罹患糖尿病風險。Assessing the pancreas' ability to stabilize blood sugar is one of the early detection indicators of diabetes.
	胰島素阻抗指數 (HOMA-IR)	
心血管風險 Cardiovascular Risk	膽固醇總量 (T. Cholesterol)	檢測動脈硬化風險、血脂分析、脂肪代謝異常、潛在性腦心血管病變之危險因子。Detect arteriosclerosis risk, blood lipid analysis, abnormal fat metabolism, and risk factors for potential cerebral and cardiovascular diseases.
	三酸甘油酯 (TG)	
	高密度脂蛋白 (HDL)	
	低密度脂蛋白 (LDL)	
	高密度脂蛋白膽固醇比值 (TC/HDL)	
	緻密低密度脂蛋白膽固醇 (超壞膽固醇 sdLDL)	
高敏感度 C 反應性蛋白 (HS-CRP)		

類別 Type	項目 Item	內容及特點 Detail
腎功能檢查 Kidney Function Tests	尿素氮 (BUN)	檢測急慢性腎炎、腎衰竭、尿毒症、高尿酸血症、痛風等。 Kidney function tests are common lab tests used to evaluate how well the kidneys are working.
	肌酸酐 (Creatinine)	
	尿酸 (Uric Acid)	
	腎絲球過濾率 (eGFR)	
肝膽功能 Liver and Gallbladder function	麩胺酸草醋酸轉氨基酶 (SGOT)	檢測肝炎、肝功能異常、脂肪肝、膽道疾病及溶血性疾病。 Liver function tests are blood tests that check to see how well your liver is working. They check for liver damage, and can help diagnose liver diseases such as hepatitis and cirrhosis.
	胺基丙酸轉氨基酶 (SGPT)	
	總膽紅素 (Total Bilirubin)	
	直接膽紅素 (D-Bilirubin)	
	丙麩氨轉酶 (γ-GT)	
	總蛋白 (Total protein)	
	白蛋白 (albumin)	
	球蛋白 (Globulin)	
	白蛋白球蛋白比例 (A/G Ratio)	
鹼性磷酸酶 (ALK-P)		
肝炎篩檢 Hepatitis Virus	B 型肝炎表面抗原 (HBsAg)	檢測是否有 B 肝帶原。Test for hepatitis B carriers.
	B 型肝炎表面抗體 (Anti-HBs)	檢測是否具 B 型肝炎之抵抗力。Test for hepatitis B resistance.
	C 型肝炎病毒抗體 (Anti-HCV Ab)	檢測是否感染 C 型肝炎。Test for hepatitis C infection.
胰臟功能 Pancreatic function	解脂酵素 (Lipase)	檢測急慢性胰臟疾病。Indicators for diagnosing pancreatitis.
甲狀腺功能 Thyroid Function Tests	高敏感度甲狀腺刺激素 (HS-TSH)	檢測甲狀腺機能亢進症或甲狀腺機能低下症。Thyroid function tests are used to check whether your thyroid is working normally.
	游離甲狀腺素 (Free T4)	
血液腫瘤標記 Tumor Markers	大腸癌腫瘤標記 (CEA)	消化系統腫瘤、肺腺癌初步篩檢。The carcinoembryonic antigen (CEA) test measures the level of CEA in the blood. In adults, an abnormal level of CEA may be a sign of cancer.
	慢性肝病及肝癌標記 α 胎兒蛋白 (AFP)	肝腫瘤、生殖腺腫瘤等初步篩檢。High levels of AFP can be a sign of liver cancer or cancer of the ovaries or testicles, as well as non-cancerous liver diseases such as cirrhosis and hepatitis.
	攝護腺癌特異抗原 (PSA) (男)(For Male)	攝護腺腫瘤初步篩檢。The PSA test is a blood test used primarily to screen for prostate cancer.
	卵巢癌標記 (CA125) (女)(For Female)	卵巢及其他婦女生殖器腫瘤初步篩檢。Screen women who are at high risk for ovarian cancer.
	胰臟癌腫瘤標記 (CA19-9)	胰臟癌初步篩檢。The CA19-9 test is a blood test used primarily to screen for pancreatic cancer, cirrhosis and gallstones.

類別 Type	項目 Item	內容及特點 Detail
荷爾蒙檢查 Hormones	女性荷爾蒙：二氫雌激素 (Estradiol, E2)、黃體化激素 (LH)、催乳激素 (Prolactin)、濾泡刺激素 (FSH)、黃體脂酮 (Progesterone)、脫氫異雄固酮硫酸鹽 (DHEA-S)、性荷爾蒙結合球蛋白 (SHBG)、活性睪固酮 (Free Testosterone)、生物活性睪固酮 (BATc)、睪固酮 (Testosterone)	評估女性荷爾蒙雌激素代謝情形。女性更年期與自律神經、骨質疏鬆、皮膚老化及心血管疾病風險增加有關 Assess female and male hormonal conditions.
	男性荷爾蒙：二氫雌激素 (Estradiol, E2)、黃體化激素 (LH)、β- 絨毛膜促性腺激素 (β-hCG)、濾泡刺激素 (FSH)、黃體脂酮 (Progesterone)、脫氫異雄固酮硫酸鹽 (DHEA-S)、性荷爾蒙結合球蛋白 (SHBG)、活性睪固酮 (Free Testosterone)、生物活性睪固酮 (BATc)、睪固酮 (Testosterone)	評估男性荷爾蒙，分析壓力、肥胖、年齡與性荷爾蒙的連動，並探討是否是焦慮及疲勞的可能原因。男性荷爾蒙不平衡與情緒、身體代謝率、性生活息息相關 Assess female and male hormonal conditions.
健康餐飲 Healthy meals	美味健檢餐 Healthy meals	提供新鮮美味健康餐飲 Fresh and healthy meals.
報告解說 Commentary	檢後第一時間專業醫師解說檢查報告 Findings commentary	專科醫師一對一當日即時解說 Specialists compile reports and provide one-on-one, same-day real-time explanations.
雲端報告 Cloud Report	為落實環境永續 ESG，健檢報告以電子形式交付，提供 APP 下載及 E-mail 健檢報告，如需紙本報告將酌收工本費 To support ESG and environmental sustainability, health checkup reports are provided electronically via app and email. A fee applies for printed copies.	
停車服務 Complimentary Parking	臺北國際醫旅大樓 B1~B3 停車場 Parking Available on Levels B1 to B3	以專業停車場管理提供健檢貴賓免費停車服務 Complimentary parking is provided for health checkup guests, managed by a professional parking service.



檢查內容不得更換，未檢查視同放棄，專案內容依現場實際內容為主，本院擁有最後解釋權  
The examination items cannot be changed. Any items not completed will be considered forfeited.  
The actual content of the package is subject to on-site arrangements. The clinic reserves the right of final interpretation.

